

Contents:

A. Introduction.	i.
B. Machine & Parts.	1-3
1. Four Wheeler Polisher (Orbital Motion)	1
2. Two Wheeler Polisher (Orbital Motion)	1
3. Car Washer.	2
4. Car Polisher (Circular) (Metabo).	2
5. Back Up Pad flexible.	2
6. Back Up Pad for 150 AE (Old).	2
7. Back Up Pad (Two Wheeler).	3
8. Back Up Pad for 270 AE (Old).	3
9. Jopasu Sprayer (1 ltr).	3
10. Underbody Coating Gun.	3
C. Accessories.	
a. Microfiber.	4-5
1. Magic Pad I (6.5").	4
2. Magic Pad II (8").	4
3. Magic Wipe.	5
4. Magic Wipe Pro.	5
5. Magic Glove.	5
6. Wax Applicator.	5
b. Terry.	6-7
1. Terry Pad (6.5")	6
2. Terry Pad (8")	6
3. Terry Cleaner.	6
4. Terry Glove.	6
5. Compound Applicator.	7
c. Wool.	7
1. 100% 4-ply Wood Compounding Pad.	7
2. 100% Wool Buffing Pad.	7
d. Sponge.	7
1. Do All Sponge.	7
2. Fabric Sponge.	7

e. Duster.	8
1. Jopasu Mini Duster.	8
2. Jopasu Car Duster.	8
D. Compounds & Cleaners.	9-24
a. Shampoo.	9-14
1. Economic Car Shampoo.	9
2. Super Concentrated Car shampoo.	10
3. Automatic Car Shampoo.	11
4. Bio Car Shampoo.	12
5. Wash N' Wax Shampoo.	13
6. Wash N' Shine Shampoo.	14
b. Cleaners.	15-20
1. General Purpose Cleaner (G.P.C.)	15
2. Engine Cleaner.	16
3. Fabric Shampoo.	17
4. Tar Remover.	19
5. Glass Cleaner.	18
6. Clay Bar.	20
c. Compounds.	21-24
1. Perfect Compound.	21
2. Super Compound.	22
3. Machine Compound.	23
4. De-Oxidizer. (Step 1)	24
E. Polishes & Glazes.	25-32
1. One Step Polish Wax.	25
2. Premium Paste Wax.	26
3. Super Glaze (Step 2).	27
4. N.S. Glaze.	28
5. Dash Board Dressing.	29
6. Trim N' Tire Dressing.	30
7. Engine Dressing.	31
8. Car Dry & Shine.	32

F. Speciality Products.	33-39
1. Ultracoat (Step 3).	33
2. Vinyl Protectant.	34
3. Trim N' Tire Protectant.	35
4. Bumper Renewer (Black).	36
5. Jopasu Underbody Coating (Black).	37
6. Jopasu Cavity Wax (Anti Rust).	38
7. Engine Clear Coat.	39
G. Advertising & Promotional Material.	40-41
1. Ultracoat Brochure.	40
2. Ultracoat Banner.	40
3. Jopasu Underbody Flex Banner (4x3)	40
4. Interior Cleaning Flex Banner.	40
5. Polyplus Restoration Flex Banner.	40
6. Product Guide.	40
7. S-27 Manual.	40
8. Jopasu Kit Bag.	41
9. Jopasu Apron.	41
10. Jopasu Cap.	41
H. Others.	42-44
1. Jopasu Gift Pack.	42
2. Ultracoat Kit (Four Wheeler).	42
3. Ultracoat Kit (Two Wheeler).	43
4. Interior Cleaning Kit.	43
5. Polyplus Restoration Kit.	44

Jopasu Systems Pvt. Ltd.

First company in western region to launch the concept of, “P.T.F.E. Treatment” which is popularly known as “Teflon Treatment”, in India in the year 1996. Since then the company has diversified to 75 different car care products, some of them are unique in India. Our company enjoys a proven track record of offering practical and innovative car care products that are available as per international standards. We have successfully created a niche of our products in Indian markets. We as a company stand by the commitment to bring the best car care products that are available in the international marketplace.

We are both into service industry as well as in manufacturing sector. In case of service industry we are successfully running our business in Western and Central India. The success of our growth lies in excellent customer relations and good rapport with dealers who are dealing with selling of cars. Our unique after sales service creates conducive environment for further strengthening relations with dealers and customers.

Manufacturing of the products that are related to car care, we have excellent facilities to keep up the quality demands of our valued customers. We incessantly apply ourselves to constantly upgrade and revise our products to suit the needs of our customers.

Machine & Parts

1. Four Wheeler Polisher (Orbital Motion). (M—01—a)

Description:

A Heavy Duty Orbital Polishing machine is used for polishing cars, featuring large size Backup Pad. Appropriate accessory can be used for the treatment.

Purpose:

This Machine is used in variety of applications such as:-

- ◆ Used for application of compounds like Perfect Compound, Super Compound and Machine Compound.
- ◆ Used for application of De-Oxidizer. (Step 1)
- ◆ Used for application of One Step Polish and Premium Paste Wax.
- ◆ Used for application of Super Glaze. (Step 2)
- ◆ Used for Application of N.S. Glaze.
- ◆ Used for application of Ultracoat. (Step 3)

Products required (Suggested):

The following are the products required as suggested by the company:

- ◆ Back Up Pad.
- ◆ Back Up Flexible Pad.
- ◆ Wool Buffing Pad.
- ◆ 100% 4-ply Wool Compound Pad (7½ " / 7502)

2. Two Wheeler Polisher (Orbital Motion). (M—02—a)

Description:

Low Duty Orbital Polishing machine is used for polishing Two Wheelers, featuring small size convenient Backup Pad. Choose the suitable accessory for a particular treatment.

Purpose:

This machine is used for various treatment / application on the two wheelers. It can be used for all types of polishing or waxing compounds such as Super Glaze, Ultracoat, etc.

Products Required (Suggested):

The following are the products required as suggested by the company.

- ◆ Back Up Pad.
- ◆ Back Up Pad Flexible.

3. Car Washer. (M—03—a)

Description:

A small size portable pressure washing machine for cars, featuring a heavy duty motor and consumes less water to clean.

4. Car Polisher (Circular Motion) (Metabo). (M—04—a)

Description:

2800 RPM, variable speed, circular motion polishing machine is used in body shops for rubbing and polishing. To operate it requires a skilled professional to use this machine.

Purpose:

There are many application of the machine, following are the few:

- ◆ Used for the application of Perfect Compound.
- ◆ Used for the application of Super Compound.
- ◆ Used for the application of Machine Compound.
- ◆ Used for the application of N.S. Glaze.
- ◆ Used for the application of One Step Polish.
- ◆ Used for the application of Premium Paste Wax.

5. Backup Pad Flexible. (M—05—a)

Description:

A 7" Velcro mounting backing plate which can accommodate buffing pads over 7" size made from highly flexible rubber. A flexible circular rubber plate is made of high quality rubber. The upper surface posses permanently mounted Velcro, which provides good suspension to the pads.

6. Back up for 150 AD (Old). (M—06—a)

Description:

A 6" Velcro mounting backing plate which can accommodate buffing pads over 6" size made for Bosch 150 AE machine (Old Type).

7. Back Up Pad (Two Wheeler). (M—06—b)

Description:

A 6" Velcro mounting backing plate which can accommodate buffing pads over 6" size made for Bosch machine (New Type).

8. Back for 270 AE (Old). (M—07—a)

Description:

A 7" Velcro mounting backing plate which can accommodate buffing pads over 7" size made from highly flexible rubber.

9. Jopasu Sprayer. (M—08—a)

Description:

A 1 litre Blue / Red / Green and white spray-head with adjustable spray nozzle and marking for different dilutions.

10. Underbody Coating gun. (M—09—a)

Description:

A Heavy duty spray gun with adjustable nozzle used for spraying Under-Chassis chemical and antirust chemical.

Products Required (Suggested):

The following products are required as suggested by the company:

- ◆ Underbody Coating (Black) (P-05-a).
- ◆ Thinner (If and whenever necessary).

Accessories

Microfiber:-

Microfiber is a yarn that combines wedge shaped polyester filaments and a core of nylon. It is made of 80% of polyester filaments and 20% of polyamide. One gram of Microfiber equals 45,000 meters of threads. The wedge shaped filaments follow the surface, trapping the particles inside the fiber and avoiding the need for cleaners and detergents. The combination of this special fiber and the splitting process enables the mass of finished fibers to produce a capillary force when the cloth is damp and, thereby, act like a magnet when cleaning.

Properties:

- ◆ Microfiber leaves a clean streak-free surface.
- ◆ No Stain or scratches remain in surfaces after wiping.
- ◆ It absorbs the water 100 times than the weight of itself.
- ◆ Extensively washable.
- ◆ Environment friendly, as no need to use chemicals for cleaning.
- ◆ Easy to use.

Following products are ones which are made of Microfiber:-

1. Magic Pad I. (A—01—a)

Description:

It is a fantastic innovation from Jopasu Systems which combines the cleaning & polishing properties of the Microfiber and uniform pressure of a sponge pad. Used to buff and polish after the residue is removed. It has a Velcro mounting and 6.5" size for buffing and polishing Two Wheelers. It is washable and re-usable a number of times.

Packing Available: - One Piece.

2. Magic Pad II. (A—01—b)

Description:

It is a fantastic innovation from Jopasu Systems which combines the cleaning & polishing properties of Microfiber and uniform pressure of a sponge pad. Used to buff and polish after the residue is removed. It has a Velcro mounting and 8" size for buffing and polishing 4 Wheelers. It is washable and re-usable a number of times.

Packing Available: - One Piece.

3. Magic Wipe (16"x16" Double sided). (J—01—a)

Description:

A 16" X 16" Microfiber Chamois features a revolutionary Microfiber technology that effectively removes moisture from vehicle exterior without scratching or streaking it. This most suited for all purposes because of its high water absorption and retention capacity.

Packing Available: - One Piece.

4. Magic Wipe Pro. (J—02—a)

Description:

A 27" X 18" Large Size, Microfiber Chamois features a revolutionary Microfiber technology that effectively removes moisture from vehicle exterior without scratching or streaking it. Used by professional car wash centers because of its high water absorption capacity than a normal cloth.

Packing Available: - One Piece.

5. Magic Glove. (J—03—a)

Description:

Padded 7 1/2" X 9 1/2" glove featuring revolutionary Microfiber technology that is specifically designed for cleaning of windows, windshield, glass, mirrors. Cleans without chemical and can be washed hundreds of times thereby reducing usage cost. It is very easy to use.

Packing Available: - One Piece.

6. Wax Applicator. (A—06—a)

Description:

A 5" X 4" X 1" square Microfiber cloth, with sponge inside, is perfect for applying lotions liquids and waxes to the vehicles surface. It is washable and re-useable for number of times.

Packing Available: - One Piece.

Terry:-

The following products are made of terry cloth:-

1. Terry Pad (6.5"). (A—02—a)

Description:

A similar product like Magic pad but using 100% cotton terry instead of Microfiber. Used for application of chemicals to the cars surface. Washable and re-useable for number of times thus decreasing the cost of application and consumption of chemicals. It is very economical as compared to the Sponge pad. 6.5" Velcro back for Two Wheelers.

Packing Available: - Set of 3.

2. Terry Pad (8"). (A—02—b)

Description:

A similar product like Magic pad but using 100% cotton terry instead of Microfiber. Used for application of chemicals to the cars surface. Washable and re-useable for number of times thus decreasing the cost of application and consumption of chemicals. It is very economical as compared to the Sponge pad. 8" Velcro back for 4 Wheelers.

Packing Available: - Set of 3.

3. Terry Cleaner. (A—03—a)

Description:

100 % Cotton terry towel used to remove the residue after the application of the polish or compounds.

Packing Available: - Set of 3.

4. Terry Glove. (A—04—a)

Description:

100 % Cotton terry glove used to remove the residue after the application of the polish or compounds. It increases safety for the applicator's hands from cuts. It is washable and re-useable for number of times.

Packing Available: - Set of 3.

5. Compound Applicator. (A—05—a)

Description:

A 5" X 4" X 1" square terry cloth with sponge inside, is perfect for applying Compounds. It is washable and re-useable for number of times.

Packing Available: - Set of 3.

Wool:-

The following products are wool based buffing products:-

1. 100% 4-Ply Wool Compounding Pad (7½" / 7502). (A-07-a)

White tufted, One and half inch pile for aggressive cutting. 100% natural wool 4-ply twisted for greater fiber density. 7½" diameter Velcro Mounted pad.

Packing Available: - One Piece.

2. 100% Wool Buffing Pad (7½" / 7510). (A—08—a)

White tufted, One and half inch pile for blended 100% natural wool. 7½" diameter Velcro Mounted pad.

Packing Available: - One Piece.

Sponge:-

The following products are made of sponge:-

1. Do All Sponge. (A—09—a)

A handy sponge used for multiple applications like applying dressings and G.P.C.

Packing Available: - Set of 5.

2. Fabric Sponge. (A—10—a)

It is large size heavy Duty sponge that is used in Interior / Upholstery cleaning process. Very aggressive and highly absorbing are its properties.

Packing Available: - Set of 2.

Dusters:-

1. Jopasu® Mini Duster. (J—04—a)

Description:

A handy Glove shaped duster with 100% paraffin treated cotton strands which will not only remove the dust but also polish the surface. It is washable and re-useable for years. Used for Two Wheelers and car interior cleaning.

Packing Available: - One Piece.

2. Jopasu® Car Duster. (J—05—a)

Description:

International quality Car Duster used for cleaning the car within minutes. Long plastic handle enables cleaning the top easily. It is made from specially treated cotton strands which will lift the dust, without scratching the paint. It is washable and re-usable for years.

Packing Available: - One Piece.

Compounds & Cleaners

Economic Car Shampoo (S-01-A)

DESCRIPTION:

A thick, highly concentrated, red liquid soap which features thick and durable foam that lifts and holds dirt in suspension, a film-free rinsing action.

KEY FEATURES:

- Red liquid
- Highly concentrated
- Low alkalinity (pH 9)
- Thick, durable foam
- Film-free rinsing action

KEY BENEFITS:

- Low usage cost since it's highly concentrated and mixes with water
- Safe for all paint types due to its pH balanced formulation and non-streaking properties
- Saves time and effort because its super high foam lifts and holds dirt in suspension and promotes film-free rinsing

HOW TO USE:

1. Mix 1 part of product with 100 parts of normal water (100 ml of soap in 10 Ltr. of water) Or 1 part of product with 60 parts of hard water (100 ml of soap in 6 Ltr. of water)
2. Ensure vehicle is not under direct sunlight, and then wet its surface with cool water.
3. Apply car shampoo starting from top of the vehicle then on remaining parts.
4. Agitate the solution with a sponge or wash mitt, including the wheel wells (using a separate mitt).
5. Rinse the vehicle from starting from top to down, using low pressure.
6. Remove any excess water with a Microfiber.

Product Required: Wash Mitt (Magic Glove), Buckets, Mug (Sprayer) & Magic Wipe.

Packing Available: - 500 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr. & 200 Ltr.) available on request**

Super Concentrated Car Shampoo (S-02-A)

DESCRIPTION:

A super concentrated yellow liquid shampoo featuring rich high foam that lifts and hold dirt in suspension, a film free rinsing action. It has a neutral scent.

KEY FEATURES:

- Yellow liquid.
- Super high foam.
- Highly concentrated.
- Fortified surfactants.
- Low alkalinity (pH 8.5)
- Film-free rinsing action.

KEY BENEFITS:

- Low usage cost since it is highly concentrated and mixes with water.
- Safe for all paint types due to its pH balanced formulation and non-streaking properties.
- Saves time and effort because its super high foam lifts and holds dirt in suspension and promotes film-free rinsing.
- Fortified surfactants loosen and remove heavy dirt and grime

HOW TO USE:

1. Mix 1 part of product with 250 parts of normal water (100 ml of soap in 25 Ltr. of water) Or 1 part of product with 200 parts of hard water (100 ml of soap in 20 Ltr. of water).
2. Ensure vehicle is not under direct sunlight, and then wet its surface with cool water.
3. Start applying car shampoo from top of the vehicle then on remaining parts.
4. Agitate the solution with a sponge or wash mitt, including the wheel wells (using a separate mitt).
5. Rinse the vehicle starting from the top, using low pressure.
6. Remove any excess water with a Microfiber.

Product Required: Wash Mitt (Magic Glove), Buckets, Mug (Sprayer) & Magic Wipe.

Packing Available: - 500ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

Automatic Car Shampoo (S-03-A)

DESCRIPTION:

A concentrated violet liquid shampoo featuring rich cleaning action. It does not harm nylon bristles because of stable foam. This shampoo is specially made for automatic car washing units. Free rinsing action.

KEY FEATURES:

- Violet Liquid
- Specially made for automatic car washing units.
- High and stable foam.
- Highly concentrated (1:200).
- Low alkalinity (pH 8.5) & Film-free rinsing action
- Does not harm plastic bristles.

KEY BENEFITS:

- Low usage cost since it is highly concentrated and mixes with water
- Safe for all paint types due to its pH balanced formulation and non-streaking properties
- Saves time and effort because its super high foam lifts and holds dirt in suspension and promotes film-free rinsing

HOW TO USE:

1. Mix 1 part of product with 200 parts of water (25 ml of soap in 5 Ltr of water).
2. Use the solution as per the specification of the machine.
3. Use Jopasu®, “Car Dry N’ Shine”, for quick drying of car and good luster.
4. Remove excess water if there with a Microfiber.

Product Required: Wash 20 Ltr Can & Microfiber Pro.

Packing Available: - 100 ml Pouch.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

BIO-CAR Shampoo (S-04-A)

DESCRIPTION:

A thick, highly concentrated aqua-green liquid shampoo featuring rich stable foam that lifts and hold dirt in suspension, a film free rinsing action and is bio-degradable.

KEY FEATURES:

- Aqua green-coloured liquid
- Super high foam
- Bio-degradable
- Highly concentrated
- Low alkalinity (pH 9)
- Film-free rinsing action

KEY BENEFITS:

- Environmentally friendly since it's bio-degradable.
- Low usage cost since it is highly concentrated and mixes with water.
- Safe for all paint types due to its pH balanced formulation and non-streaking properties.
- Saves time and effort because, it's super high foam lifts and holds dirt in suspension and promotes film-free rinsing.

HOW TO USE:

1. Mix 1 part of product with 125 parts of water (40 ml soap in 5 Ltr of water).
2. Ensure vehicle is not under direct sunlight, and then wet its surface with cool water.
3. Apply car shampoo starting from top of the vehicle then on remaining parts.
4. Agitate the solution with a sponge or wash mitt, including the wheel wells (using a separate mitt).
5. Rinse the vehicle starting from the top, using low pressure.
6. Remove any excess water with a Microfiber.

Product Required: Wash Mitt (Magic Glove), Buckets, Mug (Sprayer) & Magic Wipe.

Packing Available: - 100 ml, 200 ml, 1Ltr.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

WASH N' WAX (S-05-A)

DESCRIPTION:

A thick highly concentrated pink liquid shampoo featuring rich stable foam that removes dirt and grim, a film free rinsing action and Montan wax gives luster and Durability.

KEY FEATURES:

- Pink Liquid.
- High and stable foam.
- Gives high Luster.
- Contains Montan wax.
- Low alkalinity (pH 7.5).
- Maximum beading action.

KEY BENEFITS:

- Low usage cost since it is highly concentrated and mixes with water.
- Safe for all paint types due to its pH balanced formulation and non-streaking properties.
- Carnauba wax intensifies shine and increases beading action.
- Saves time and effort because, it's high foam lifts and holds dirt in suspension, and rinses thoroughly.

HOW TO USE:

1. Mix 1 part of product with 125 parts of water (40 ml of soap in 5 Ltr. of water).
2. Ensure vehicle is not under direct sunlight, and then wet its surface with cool water.
3. Apply car shampoo starting from top of the vehicle then on remaining parts.
4. Agitate the solution with a sponge or wash mitt, including the wheel wells (using a separate mitt).
5. Rinse the vehicle starting from the top, using low pressure.
6. Remove any excess water with a Microfiber.

Product Required: Wash Mitt (Magic Glove), Buckets, Mug (Sprayer) & Magic Wipe.

Packing Available: - 200 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

WASH N' SHINE (S-06-A)

DESCRIPTION:

A thick highly concentrated Aqua blue green liquid shampoo featuring rich stable foam that lifts and holds dirt in suspension, a film free rinsing action and artificial gloss enhancer gives shine.

KEY FEATURES:

- Aqua green liquid.
- Highly concentrated.
- Low alkalinity (pH 9.5).
- Fruity fragrance.
- High and stable foam.
- Contains artificial shine booster.
- Maximum beading action.

KEY BENEFITS:

- Low usage cost since it is highly concentrated and mixes with water.
- Safe for all paint types due to its pH balanced formulation and non-streaking properties.
- Carnuba wax intensifies shine and increases beading action.
- Saves time and effort because, it's high foam lifts and holds dirt in suspension, and rinses thoroughly.

HOW TO USE:

1. Mix 1 part of product with 125 parts of water (30 ml of soap in 5 Ltr of water).
2. Ensure vehicle is not under direct sunlight, and then wet its surface with cool water.
3. Apply car shampoo starting from top of the vehicle then on remaining parts.
4. Agitate the solution with a sponge or wash mitt, including the wheel wells (using a separate mitt).
5. Rinse the vehicle starting from the top, using low pressure.
6. Remove any excess water with a Microfiber.

Product Required: Wash Mitt (Magic Glove), Buckets, Mug (Sprayer) & Magic Wipe.

Packing Available: - 200 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

General Purpose Cleaner (S-07-A)

DESCRIPTION:

A concentrated blue medium duty water based cleaner / degreaser having mild citrus aroma, featuring rich stable foam can be used interior as well as external plastic and rubber.

KEY FEATURES:

- Blue liquid.
- High alkalinity (pH 13).
- Concentrated.
- Citrus scented.
- Contains fortified surfactants.

KEY BENEFITS:

- Low usage cost since it is concentrated and mixes with water.
- Alkalis and surfactants loosen and remove stubborn dirt and grime.
- Water-soluble solvents dissolve grease and stubborn dirt.
- Extremely versatile product - effectively cleans exterior grillwork & rocker panels, and interior rubber, plastic & vinyl surfaces.

HOW TO USE:

Exterior Grillwork & Rocker Panels

1. Mix 1 part of product with 5 parts of water (1: 5).
2. Spray on surface to be cleaned, and allow it to dwell for no longer than one minute.
3. Agitate solution with a sponge of pre-moistened, "Do All pad".
4. Pressure rinse thoroughly.

Interior Rubber, Plastic & Vinyl Surfaces

1. Mix 1 part of product with 10 of parts water (1:10).
2. Spray product on clean towel, applicator pad, utility brush or pre-moistened, "Do All pad".
3. Apply to the area to be cleaned, and scrub vigorously.
4. Dry area completely with a Magic wipe and compressed air (if available).

Do not allow product to dry on surface, or work in direct sunlight

Product Required: Fabric Sponge, Terry Glove, Buckets, Mug, Sprayer & Magic Wipe.

Packing Available: - 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

Engine Cleaner (S-08-a)

DESCRIPTION:

A highly concentrated yellowish tinge, heavy duty water based formulation having neutral aroma which is highly alkaline and formulated for engine & exterior cleaning.

KEY FEATURES:

- Yellow liquid.
- Concentrated.
- Contains fortified surfactants & water-soluble solvents.
- High alkalinity (pH 13).
- Neutral scented.

KEY BENEFITS:

- Low usage cost since it is concentrated and mixes with water.
- Alkalis and surfactants loosen and remove stubborn dirt and grime.
- Water-soluble solvents dissolve grease and tar.
- Versatile product - effectively cleans engines, exterior grillwork & rocker panels.

HOW TO USE:

Engine :

1. Mix 1 part of product with 2 to 5 parts of water (1:2 to 1:5 depending on grease spillage).
2. Wet the entire body area around the engine with cool water to prevent the product from spotting the paint. Do not wet the engine.
3. Apply product with a trigger sprayer to the engine and engine compartment, working forward from the rear. Follow a consistent pattern to ensure full coverage.
4. Then apply product to:
 - Inner hood (avoiding the hood liner).
 - Wheel wells.
 - Door and trunk jambs.
 - Gas cap compartment.
1. Pressure rinse the areas sprayed in reverse order of application (engine compartment last - allowing the product to dwell there the longest). Hold the wand 8" to 12" from the surface being rinsed.
2. Pressure clean the engine compartment last. After rinsing the inner hood (again avoiding the hood liner), follow a consistent pattern of working forward from the rear of the engine using slow side-to-side motions. Stand at different angles to ensure hard-to-reach areas are thoroughly rinsed, and avoid saturating any electronic components.

Exterior Grillwork & Rocker Panels

1. Mix 1 part product with 10 parts water (1:10).
2. Spray on surface to be cleaned, and allow it to dwell for no longer than one minute.
3. Agitate solution with a sponge of pre-moistened, "Do All pad".
4. Pressure rinse thoroughly.

Do not allow product to dry on surface, or work in direct sunlight

Product Required: Jopasu Sprayer, Pressure wash, & Magic Wipe Pro.

Packing Available: - 1000 ml.

Fabric Shampoo (S-09-A)

DESCRIPTION:

A concentrated yellow coloured, medium duty, water-based shampoo that is High foaming and citrus scented.

KEY FEATURES:

- Yellow liquid.
- High alkalinity (pH 12.5).
- Concentrated.
- Citrus scented.
- Contains fortified surfactants & water-soluble solvents.
- Moderate foaming.

KEY BENEFITS:

- Low usage cost since it is concentrated and mixes with water.
- Alkalis and surfactants loosen and stubborn dirt and grime.
- Water-soluble solvents dissolve grease and other petroleum-based contaminants.
- Versatile product - effectively cleans all types of upholstery & carpeting, and can be used with an extraction machine or by hand.

HOW TO USE:

Extraction Machine

1. Thoroughly clean the area by vacuum that is to be treated.
2. Pre-soak any heavy stains with spot remover.
3. Mix 1 part of product with 30 parts of water (1:30).
4. Test a small area of fabric for checking colour fastness.
5. Extract fabric, ensuring that the spray nozzle is dispensing the liquid lightly and evenly, the cleaning solution is hot and the vacuum is working properly.
6. Repeat process 1), to remove excess moisture.

By Hand

1. Thoroughly clean the area by vacuum that is to be treated.
2. Pre-soak any heavy stains with spot remover.
3. Mix 1 part of product with 10 parts of water (1:10).
4. Test a small area of fabric to checking colour fastness.
5. Apply solution to the fabric, being careful not to saturate.
6. Vigorously scrub the surfaces with a fabric brush, using circular motion.
7. Towel Dry, then thoroughly vacuum areas cleaned.

Shake container well before using.

Product Required: Sprayer, Fabric Sponge, Scrubber, fabric Brush & Magic Wipe.

Packing Available: - 1000 ml.

GLASS CLEANER CONCENTRATE (S-11-A)

DESCRIPTION

A blue coloured, liquid which contains unique blend of alcohol and agents that remove grease marks that is highly concentrated soap albeit without ammonia. It safely and effectively removes smoke and traffic film.

KEY FEATURES:

- Blue liquid.
- Blend of alcohol and grease cutting agents.
- Highly concentrated.
- Soap & ammonia-free.

KEY BENEFITS:

- Low usage cost since it is concentrated and mixes with water.
- Special formulation features alcohol and grease agents which quickly and easily removes smoke and traffic film.
- Contains no soap which minimizes smudging.
- Contains no ammonia which can damage tinting.

HOW TO USE:

1. Mix 1 part of product with 30 parts of water (1:30).
2. Spray product directly on glass.
3. Agitate solution with lint-free Magic wipe or.
4. Wipe window clean with second side of Magic WIPE.

* If cloth towels are used, designate them as "window only", and store and wash them separately.

To simplify locating missed spots, wipe consistently in the same direction - horizontally on exterior windows, and vertically on interior windows.

Product Required: Sprayer & Magic Wipe.

Packing Available: - 100 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

Tar Remover (S-10-A)

DESCRIPTION:

A highly concentrated water and petroleum hydrocarbons blend, which loosens tar and grease and very effectively.

KEY FEATURES:

- Milky off-white liquid.
- Concentrated.
- Contains fortified surfactants & water-soluble solvents.
- High alkalinity (pH 13).
- Neutral scented.

KEY BENEFITS:

- Low usage cost since it is concentrated and mixes with water.
- Alkalis and surfactants loosen and remove stubborn dirt and grime.
- Water-soluble solvents dissolve grease and tar.
- Versatile product - effectively cleans engines, exterior grillwork & rocker panels

HOW TO USE:

Bugs & tar Removal

1. Spray as it is on the area affected by tar & bugs.
2. Dwell for few minutes.
3. Rub that area with moistened fabric sponge & Wipe it with Terry Towel.

Exterior Grillwork & Rocker Panels

1. Mix 1 part of product with 10 parts of water (1:10).
2. Spray on surface to be cleaned, and allow it to dwell for no longer than one minute.
3. Agitate solution with a sponge of pre-moistened, "Do All Pad".
4. Pressure rinse thoroughly.

Do not allow product to dry on surface, or work in direct sunlight

Product Required: Jopasu Sprayer, fabric sponge & Terry towel.

Packing Available: - 1000 ml.

Jopasu Clay Bar (C-01-A)

DESCRIPTION:

A flexible, medium abrasive four ounce, "Clay Bar", which safely removes paint overspray and other contaminants from painted, chrome, glass, plastic and assorted metal surfaces.

KEY FEATURES:

- Yellow clay bar.
- Flexible.
- Medium abrasive.
- Convenient 4 oz. size.
- Body shop-safe.
- New improved formulation.

KEY BENEFITS:

- New, more flexible formulation enhances workability and ease-of-use.
- Extremely versatile - can be used on paint, chrome, aluminum, plastic & glass.
- Effectively removes paint overspray, tree sap, bird droppings, light metallic fallout and other surface contaminants.
- Contains no hazardous ingredients.

HOW TO USE:

1. Examine the clay bar to ensure that it is free of contaminants.
2. Generously mist the surface being treated with any Jopasu® Car Shampoo. (In 1Ltr Water 4 to 5 Drops Shampoo)
3. Lightly rub the bar over the surface, working length-wise with the panel.
4. For best results, keep the vehicle's surface saturated throughout the process, and knead the bar periodically to ensure the bar's surface is clean.
5. Pressure rinse all areas treated.

Product Required: Jopasu Clay Bar, Jopasu Sprayer, Any Jopasu Shampoo

Packing Available: - 118 gm Piece.

PERFECT COMPOUND (C-02-A)

DESCRIPTION:

A mildly aggressive, body shop safe, yellow lotion that removes light to moderate scratches and oxidation from all painted surfaces, while leaving a deep, rich gloss and no swirl marks. Brilliant results if effectively used with compound applicator or Pad.

KEY FEATURES:

- Yellow lotion.
- Silicone-free.
- Body shop-safe.
- Clears mild oxidation & scratches.
- Gives a Swirl-free finish.

KEY BENEFITS:

- Buffs easily, and brings out a deep and durable gloss.
- Dries slowly thereby allowing user to thoroughly work surface.
- Leaves a swirl-free finish, especially when a foam pad is used.
- Very little product needed, which prevents pads from becoming saturated

HOW TO USE:

High Speed Buffer

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a polishing pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.

Orbital Buffer, Or By Hand

1. Apply product evenly over painted surface with a moist polishing bonnet or applicator sponge, and allow it to dry to haze.
 2. Remove residue with a clean, dry bonnet or soft polishing cloth.
- Be sure painted surfaces are cool to the touch before applying
- ☐ For High Gloss apply Premium Paste Wax.

Products Required for Application:

- ☐ By Hand: Wax Applicator.
- ☐ By Machine: High speed Buffer, Terry Pad, 4-ply Wool Compound Pad and Terry glove.

Packing Available: - 1000 ml & 200 ml.

Super Compound (C-03-A)

DESCRIPTION:

An extremely abrasive, body shop safe, tea-red lotion, which removes heavy scratches and oxidation from conventional, painted surfaces. It should not be used on basecoat / clearcoat finishes.

- **KEY FEATURES:**
- Coffee Red paste.
- Silicone-free.
- Contains ammonia & heavy abrasives.
- Body shop safe.

KEY BENEFITS:

- Quickly and effectively removes heavy scratches and oxidation from conventional paint finishes (too abrasive for basecoat/clearcoat finishes).
- Very little product needed, which prevents pads from becoming saturated.
- Body shop safe, since it contains no silicone and won't "fish eye" paint.

HOW TO USE:

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a high speed buffer (1800 RPM or less) and a cutting pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.
4. Remove swirl marks and restore gloss by applying perfect compound with high speed buffer and polishing pad.
5. Apply Perfect compound to reduce swirl mark.

Product can be hand applied with a clean applicator pad.

Be sure painted surfaces are cool to the touch before applying.

☉ For High Gloss apply Premium Paste Wax. Or Super Glaze.

Products Required for Application:

By Hand: Wax Applicator.

By Machine: High speed Buffer, Terry Pad, 4 ply wool Compound Pad, Terry glove

Packing Available: - 200ml & 1000 ml.

Machine Compound (C-04-A)

DESCRIPTION:

A mildly abrasive, body shop safe, light brown lotion ideal for removing light to medium scratches and oxidation from all painted surfaces. Particularly effective when used with circular motion machines. Very cost effective since little product needed. Machine compound is a special formulation that has no silicones.

KEY FEATURES:

- Light coffee colour lotion.
- Silicone-free.
- Medium-duty abrasives.
- Body shop safe.

KEY BENEFITS:

- Quickly and effectively removes medium to light scratches and oxidation thereby minimizing buffing time.
- Very little product needed, which prevents pads from becoming saturated.
- Body shop safe, since it contains no silicone and won't "fish eye" paint.

HOW TO USE:

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a high speed buffer (1800 RPM or less) and a cutting pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.

Product can be hand applied with a clean applicator pad.

Be sure painted surfaces are cool to the touch before applying product

☪ For Best Results: Apply Premium Paste Wax or N.S. Glaze to protect the restored finish.

Products Required for Application: High speed Buffer, Terry Pad, 4 ply wool Compound Pad, Terry Glove

Packing Available: - 200ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request.**

De-oxidizer (Step 1) (C-05-A)

DESCRIPTION:

A mildly abrasive, muddy, lotion ideal for removing light to medium scratches and oxidation from all painted surfaces. Gives deep rich shine and gives perfect surface preparation before applying super glaze. Very cost effective since little product needed.

KEY FEATURES:

- Light coffee colors lotion.
- Silicone-free.
- Medium-duty abrasives.
- Body shop safe.

KEY BENEFITS:

- Quickly and effectively removes medium to light to medium scratches and oxidation, minimizing buffing time.
- Very little product needed, which prevents pads from becoming saturated.
- Body shop safe, since it contains no silicone and won't "fish eye" paint.

HOW TO USE:

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a high speed buffer (1800 RPM or less) and a cutting pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.
4. Apply Super Glaze to protect the restored finish then followed by ULTRACOAT for Protection.

Product can be hand applied with a Wax applicator pad

Be sure painted surfaces are cool to the touch before applying product

Products Required for Application:

- ◆ By Hand: Wax Applicator.
- ◆ By Machine: High speed Buffer, Terry Pad, 4 ply wool Compound Pad, Terry glove

Packing Available: - 200 ml & 1000 ml.

Polishes & Glazes

ONE STEP POLISH WAX (G-01-A)

DESCRIPTION:

A green, crème wax containing mild abrasives, lubricants and silicones which removes minor paint imperfections, produces deep gloss and provides long-lasting protection.

KEY FEATURES:

- Green crème wax.
- Extremely Durable product.
- Contains silicone.
- Safe for all finishes, contains lubricants & mild abrasives.

KEY BENEFITS:

- Unique blend of mild abrasives and silicones; cleans and shines in one easy step.
- Special lubricants simplify application and removal.
- Produces deep, long-lasting gloss.
- Protects finish from sun's ultra-violet rays.

HOW TO USE:

High Speed Buffer

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a polishing pad. Keep the pad flat on the painted surface and buff until product dry, applying light even pressure. Wash pad regularly after use on car.

Orbital Buffer, Or By Hand

1. Apply product evenly over painted surface with a moist polishing bonnet or applicator sponge, and allow it to dry to haze.
2. Remove residue with a clean, dry bonnet or soft polishing cloth.

Be sure painted surfaces are cool to the touch before applying product

Products Required for Application:

- ◆ By Hand: Wax Applicator.
- ◆ By Machine: High speed Buffer, Terry Pad, Natural wool polishing Pad, Terry Glove.

Packing Available: - 100 ml & 1000 ml.

PREMIUM PASTE WAX (G-02-A)

DESCRIPTION:

A soft, pink, cherry scented, crème wax, that contains silicone amino-polymer which removes light surface imperfections to produce a deep "Wet Look" gloss and provides long protection.

KEY FEATURES:

- Light pink-orange lotion.
- Excellent durability.
- Contains amino polymer.
- Safe for all finishes bonding silicones.
- Cherry fragrance.

KEY BENEFITS:

- Quickly and effectively removes light scratches, oxidation and swirl marks, minimizing buffing time.
- Silicones chemically bond to paint creating extremely durable protective layer.
- Very little product needed, which prevents pads from becoming saturated.
- Produces deep gloss.
- Protects finish from sun's ultra-violet rays.

HOW TO USE:

High Speed Buffer

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a polishing pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.

Orbital Buffer, Or By Hand

1. Apply product evenly over painted surface with a moist polishing bonnet or applicator sponge, and allow it to dry to haze.
2. Remove residue with a clean, dry bonnet or soft polishing cloth.

Be sure painted surfaces are cool to the touch before applying product

Products Required for Application:

- ◆ By Hand: Wax Applicator.
- ◆ By Machine: High speed Buffer, Terry Pad, Natural wool polishing Pad, Terry glove

Packing Available: - 100 ml & 1000 ml.

SUPER GLAZE (Step 2) (G-03-a)

DESCRIPTION:

A mildly aggressive, extremely durable, polymer fortified which has white glaze that safely removes light scratches, oxidation and swirl marks from all painted surfaces. It buffs easily, generates a deep, long-lasting gloss and leaves an extremely smooth surface. Contains polymer and can be used as finished product.

KEY FEATURES:

- White coloured lotion.
- Excellent durability.
- Contains polymer.
- Safe for all finishes.
- Neutral fragrance.

KEY BENEFITS:

- Quickly and effectively removes very light scratches, oxidation and swirl marks thereby minimizing buffing time.
- Polymer is chemically bonded to paint creating extremely durable protective layer.
- Very little product needed, which prevents pads from becoming saturated.
- Produces deep gloss.
- Protects finish from sun's ultra-violet rays.

HOW TO USE:

High Speed Buffer

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a polishing pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.

Orbital Buffer, Or By Hand

1. Apply product evenly over painted surface with a moist polishing bonnet or applicator sponge, and allow it to dry to haze.
2. Remove residue with a clean, dry bonnet or soft polishing cloth.

Be sure painted surfaces are cool to the touch before applying product.

Products Required for Application :

- ◆ By Hand: Wax Applicator.
- ◆ By Machine: High speed Buffer, Terry Pad, Natural wool polishing Pad, Terry glove

Packing Available: - 200 ml & 1000 ml.

N.S. Glaze (G-04-a)

DESCRIPTION:

A moderately aggressive, highly durable, body shop safe, pink glaze that safely removes light scratches, oxidation and swirl marks from all painted surfaces. It buffs easily, generates a deep, long-lasting gloss and leaves an extremely smooth surface.

KEY FEATURES:

- White coloured lotion.
- Silicone and wax-free.
- Safe for all finishes.
- Body shop safe.

KEY BENEFITS:

- Quickly and effectively removes light scratches, oxidation and swirl marks, minimizing buffing time.
- Body shop safe, since it contains no silicone and won't "fish eye" paint.
- Very little product needed, which prevents pads from becoming saturated.
- Produces deep gloss.
- Versatile product that can be applied with high speed buffer or by hand.

HOW TO USE:

High Speed Buffer

1. Start with the roof, and proceed to the hood, trunk and sides.
2. Apply a small amount of product directly on the painted surface.
3. While the product is wet, buff a 2' x 2' area with a cutting or polishing pad. Keep the pad flat on the painted surface and buff until product dries, applying light even pressure. Clean pad regularly with pad spur.

By Hand

1. Apply product evenly over painted surface with an applicator sponge.
2. Allow to dry to haze.
3. Remove residue with a soft polishing cloth.

Be sure painted surfaces are cool to the touch before applying product.

Products Required for Application:

- ◆ By Hand: Wax Applicator.
- ◆ By Machine: High speed Buffer, Terry Pad, Natural wool polishing Pad, Terry glove

Packing Available: - 1000 ml.

DASHBOARD DRESSING (G-05-a)

DESCRIPTION:

A thick, water based, white, high gloss dressing that features rose scent and has silicone. It is highly durable and ready to use dressing.

KEY FEATURES:

- White liquid.
- Ready-to-use.
- High gloss.
- Rose scent.
- Contains silicone.
- Non-greasy.

KEY BENEFITS:

- Effectively shines and protects rubber, plastic and vinyl surfaces.
- Water-based formulation contains no harsh solvents.
- High gloss gives "like new" appearance.

HOW TO USE:

Interior & Exterior

1. Moisten a clean applicator pad and wipe on vinyl, plastic and rubber surfaces.
2. Allow to dry, or wipe dry with a clean cloth.

Tires

1. Spray product on applicator pad.
2. Apply product to tire with pad.
3. Allow product to thoroughly dry before moving vehicle.

Engine

1. Spray entire engine using a consistent pattern to ensure even coverage.
2. Wipe down with a soft cloth.

For best results, always apply to clean, dry surfaces.

Do not apply to seat bottoms, steering wheel or foot pedals since product can cause these surfaces to be slippery.

Products Required: Do all Pad, Magic wipe, and Jopasu Agro sprayer.

Packing Available: - 100 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr, 20 Ltr& 200 Ltr) available on request.**

Trim N' Tire Dressing (G-06-a)

DESCRIPTION:

A highly durable, ready to use, high gloss solvent based dressing which is transparent, features rose scent and contains silicone.

KEY FEATURES:

- Transparent liquid.
- Ready-to-use.
- High gloss.
- Mild scent.
- Contains silicone.
- Highly durable.

KEY BENEFITS:

- Effectively shines and protects rubber, plastic and vinyl surfaces.
- Solvent-based formulation penetrates surface, enhancing durability.
- High gloss gives deep and rich shine.

HOW TO USE:

Interior & Exterior

1. Moisten a clean applicator pad and wipe on vinyl, plastic and rubber surfaces.
2. Allow to dry, or wipe dry with a clean cloth.

Tires

1. Spray product on applicator pad.
2. Apply product to tire with pad.
3. Allow product to thoroughly dry before moving vehicle.

Improper application of solvent-based dressings may result in product "sling", which can stain painted surfaces.

Jopasu assumes no liability for damage resulting from improper application

Not recommended for use on engines due to potential flammability

Products Required: Do all Pad, Magic wipe, and Jopasu Agro sprayer.

Packing Available: - 100 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

ENGINE DRESSING (G-07-a)

DESCRIPTION:

A white, high gloss, ready to use dressing which is unscented that contains silicones. It is durable and can be sprayed with spray gun.

KEY FEATURES:

- White liquid.
- Ready-to-use.
- High gloss.
- Neutral scent.
- Contains silicone.
- Non-greasy.

KEY BENEFITS:

- Effectively shines and protects rubber, plastic and vinyl surfaces.
- Water-based formulation contains no harsh solvents.
- High gloss gives "like new" appearance.

HOW TO USE:

Engine

1. Spray entire engine using a consistent pattern to ensure even coverage.
2. Wipe down with a soft cloth.

For best results, always apply to clean, dry surfaces.

Do not apply to seat bottoms, steering wheel or foot pedals since product can cause these surfaces to be slippery

Products Required: Engine Dressing, Jopasu Sprayer, Jopasu Magic Wipe and Do All Pad.

Packing Available: - 1000 ml.

Car Dry N' Shine (G-08-a)

DESCRIPTION:

A concentrated drying agent that promotes water shedding hence minimizes spotting. It also adds gloss to vehicle surface and is safe for all surfaces.

KEY FEATURES:

- Milky white lotion.
- Highly hydrophobic (high water repellency).
- Highly concentrated.
- Neutral scent.
- Gives high luster.

KEY BENEFITS:

- Low usage cost since it is highly concentrated and mixes with water.
- Gives high luster & quick drying in one action, on-streaking properties.
- Saves time and effort because quick drying (high water repellency).
- It reduces cost of manpower.

HOW TO USE:

1. Mix 1 part of product with 50 parts of water (100 ml lotion in 5 Ltr. of water).
2. Use the solution as per the specification of the machine.
3. Remove excess water with a Microfiber (if necessary).

Products Required: 5 Ltr Can

Packing Available: 200 ml Pouch

Speciality Products

ULTRACOAT (P-01-b)

DESCRIPTION:

A P.T.F.E. fortified paint sealant containing artificial gloss enhancers and antistatic polymer which protects the vehicle's finish from sun, salt, grease, tar, acid rain and industrial fallout, while sealing in a deep and durable shine.

KEY FEATURES:

- Milky white lotion.
- Contains antistatic polymer.
- Enhances gloss and protects.
- Extremely durable.
- P.T.F.E. fortified.

KEY BENEFITS:

- Part of Jopasu® Ultracoat one Year Warranty Program.
- Lotion formulation easy to apply and remove which saves time and effort.
- Polymer chemically bond to paint creating extremely durable protective layer.
- Produces a deep and rich shine.
- Protects finish from sun's ultra-violet rays.

HOW TO USE:

- ◆ **Orbital Buffer**
 1. Shake container before and during use.
 2. Start with the roof, and proceed to the hood, trunk and sides.
 3. Apply product to the buffer's moistened polishing bonnet.
 4. Apply product evenly over painted surface with buffer, and allow it to dry to haze.
 5. Remove residue with a clean, dry bonnet.
- ◆ **By Hand**
 1. Shake container before and during use.
 2. Start with the roof, and proceed to the hood, trunk and sides.
 3. Apply product evenly over painted surface with a clean, moist applicator sponge, and allow it to dry to haze.
 4. Remove residue with a clean, soft polishing cloth.

Ensure painted surfaces are cool to the touch before applying product
Do not apply in direct sunlight

Products Required:

- ◆ **By Hand:** Wax Applicator, Magic Wipe.
- ◆ **By Machine:** Terry pad, magic pad, & Buffer.

Packing Available: 200 ml & 1000 ml.

VINYL PROTECTANT (P-02-a)

DESCRIPTION:

A extremely durable, ready to use, thick, water based, light green coloured dressing having banquet scent, contains aminomethoxysiloxane which gives high gloss, and protects vinyl from cracking, fading and discoloration.

KEY FEATURES:

- White liquid.
- Ready-to-use.
- High gloss.
- Banquet scent.
- Contains detergent resistant polymer.
- Non-greasy.

KEY BENEFITS:

- Effectively shines and protects rubber, plastic and vinyl surfaces.
- Water-based formulation contains no harsh solvents.
- High gloss gives deep and rich shine.

HOW TO USE:

Interior & Exterior

1. Moisten a clean applicator pad and wipe on vinyl, plastic and rubber surfaces.
2. Allow to dry, or wipe dry with a clean cloth.

Tires

1. Spray product on applicator pad.
2. Apply product to tyre with pad.
3. Allow product to thoroughly dry before moving vehicle.

Engine

1. Spray entire engine using a consistent pattern to ensure even coverage.
2. Wipe down with a soft cloth.

For best results, always apply to clean, dry surfaces.

Do not apply to seat bottoms, steering wheel or foot pedals since product can cause these surfaces to be slippery

Products Required: Do all Pad, Magic wipe, and Jopasu Agro sprayer.

Packing Available: - 200 ml & 1000 ml.

Trim N' Tire Protectant (P-03-a)

DESCRIPTION:

A extremely durable, ready to use, solvent-based, blue coloured dressing having rose scent, contains aminomethoxysiloxane which gives high gloss, and protects vinyl & rubber from cracking, fading and discoloration that enables washing for few times.

KEY FEATURES:

- Blue liquid.
- Ready-to-use.
- High gloss.
- Rose scent.
- Contains polymer & silicone.
- Highly durable, detergent resistant up to few washes.

KEY BENEFITS:

- Effectively shines and protects rubber, plastic and vinyl surfaces.
- Solvent-based formulation penetrates surface, enhancing durability.
- High gloss gives deep and rich shine.

HOW TO USE:

Interior & Exterior

1. Moisten a clean applicator pad and wipe on vinyl, plastic and rubber surfaces.
2. Allow to dry, or wipe dry with a clean cloth.

Tires

1. Spray product on applicator pad.
2. Apply product to tire with pad.
3. Allow product to thoroughly dry before moving vehicle.

Improper application of solvent-based dressings may result in product "sling", which can stain painted surfaces

Jopasu assumes no liability for damage resulting from improper application

Not recommended for use on engines due to potential flammability

Products Required: Do all Pad, Magic wipe, and Jopasu Agro sprayer.

Packing Available: - 200 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request.**

BUMPER RENEWER (Black) (P-04-a)

DESCRIPTION:

A black coloured water-based paint which gives very good adhesion to plastics and satin gloss gives "Like New" appearance for faded bumpers and trim which is black in colour. It is specially prepared with acrylic binder and wax. Very easy to use and dries fast.

KEY FEATURES:

- Black gel.
- Ready-to-use.
- Satin gloss.
- Neutral scent.
- Contains Wax.
- Highly Durable.

KEY BENEFITS:

- Effectively shines and restores faded bumpers and trim.
- Water-based formulation penetrates surface, enhancing its durability.
- Satin gloss gives deep and rich shine

HOW TO USE:

Bumpers & Trim

1. Clean and sand with 320 grit size paper and followed by 600 grit size paper.
2. Clean with Jopasu® G.P.C.
3. Apply the Bumper Renewer with Do all Sponge pad in one direction.
4. Repeat step three.
5. After drying apply Trim Protectant.
6. Wipe excess with Jopasu Microfiber.

Products Required: Do all Pad,G.P.C.,320 grit & 600 Grit Emery paper, Magic wipe, Trim Dressing or Protectant and Jopasu Agro sprayer.

Packing Available: - 200 ml & 1000 ml.

**** Bulk Pricing (For 5 Ltr., 20 Ltr.& 200 Ltr.) available on request**

UNDERBODY COATING (BLACK) (P-05-A)

DESCRIPTION:

A unique blend of petroleum hydrocarbon resins that weatherproof the vehicle's under-chassis and help block out annoying road noise. Warranty is available through JOPASU® Warranty Program.

KEY FEATURES:

- Black liquid.
- Weatherproofs & reduces road noise.
- Ready-to-use.

KEY BENEFITS:

- Part of Jopasu® Warranty Program.
- Extends vehicle life by weatherproofing and insulating vehicle's underbody.
- Improves driving experience by reducing road noise.
- Resists abrasion, increasing length of protection

HOW TO USE:

1. Ensure vehicle is clean and dry before applying product.
2. Apply product with a spray gun designed for undercoating application. The type of gun used will depend on the size of container the product is drawn from.
3. Use a 90° wand to spray the following:
 - All exposed sheet metal (gas tank, etc.)
 - Body floor supports
 - Wheel housings
 - Gravel shields
 - Inner boxed sections
 - Brake and gas lines
 - Wheel well and lip areas (apply lightly)
4. Ensure the following parts are not sprayed:
 - Any part of the drive train (engine, transmission, drive shaft)
 - Any part of the exhaust system
 - Brake pads
 - Rotors

Only apply product in well ventilated area

Products Required: Underbody Gun, Terry wipe, Thinner & Compressor.

Packing Available: - 1000 ml.

CAVITY WAX (P-06-A)

DESCRIPTION:

A unique blend of petroleum hydrocarbon which is transparent abrasion-resistant, resin that bonds to exposed metal surfaces, protecting them from salt, moisture and air. Warranty is available through JOPASU® warranty program.

KEY FEATURES:

- Clear gel
- Protects exposed metal surfaces
- Ready-to-use

KEY BENEFITS:

- Part of Jopasu Cavity wax 3 years Warranty Program.
- Bonds to exposed metal surfaces, providing long-term protection from salt, moisture and air.
- Atomized mist applied via flexible wand passed through existing holes in vehicle, eliminating need to drill holes

HOW TO USE:

1. Ensure that the vehicle is clean and dry before applying product.
2. Apply product with a pressure gun set at 70 PSI. Utilize a 360° wand for "sealed" areas (doors, rear quarter panels, trunks and hoods), and a 90° wand for open areas.
3. Access all drain holes along trunk lid. Spray each opening for approximately five seconds, rotating the wand several times. Fog will emit when panel is saturated.
4. Spray door panels through latch and drain holes.
5. Access front fender through door seam, wheel well and engine compartment.
6. Spray base of hood thoroughly, then access all drain holes in hood and engine compartment. Avoid the engine itself (wipe thoroughly if sprayed).
7. Spray drain holes at base of rocker panels.

Only apply product in well ventilated area

Products Required: Underbody Gun with Wax spray pipe, Terry wipe, Thinner & Compressor.

Packing Available: - 1000 ml.

ENGINE CLEAR COAT (P-07-A)

DESCRIPTION:

A corrosion-resistant, highly durable, solvent based transparent engine paint which resists heat and corrosion, restores engines and wheel wells to a "Like New" appearance.

KEY FEATURES:

- Clear engine paint.
- Solvent-based.
- Highly durable.
- Resists heat and corrosion.
- Provides brilliant shine.

KEY BENEFITS:

- Highly durability eliminates need to repaint
- Heat and corrosion resistance maintains brilliant shine regardless of conditions

HOW TO USE:

1. Ensure engine is dry and thoroughly degreased.
2. Shake container well.
3. Mix 1 part of product with 1 part of lacquer thinner.
4. Apply product with a conventional or HVLP paint gun set at 25 PSI.
5. Begin at firewall and move forward, holding gun 6 - 8 inches from surface, using smooth strokes and overlapping each pass by 1/3.
6. Avoid spraying polyurethane insulation.
7. Drying time will vary depending on the amount applied and weather conditions.

Products Required: HVLP Gun, Terry wipe, Thinner & Compressor.

Packing Available: - 1000 ml.

Advertising & Promotional Material

1. Ultracoat Brochure. (X-01-a)

It is used to circulate the technical information regarding the Ultracoat treatment for two wheelers and four Wheelers.

Packing Available: - Set of 25

2. Ultracoat Banner. (X-02-a)

It is used for displaying the feature, benefits and advantages of Ultracoat treatment at dealership and it is used as sales promotion activity.

Packing Available: - One Piece.

3. Jopasu Underbody Flex Banner (4x3). (X-03-a)

It is used to display the advantages of underbody treatment at dealership and garages as a sales promotion activity.

Packing Available: - One Piece.

4. Interior Cleaning Flex Banner. (X-04-a)

It is used to explain the process of professional interior cleaning to the customer and used as a sales promotion activity.

Packing Available: - One Piece.

5. Polyplus Restoration Flex Banner. (X-05-a)

It is used to define the process of Polyplus restoration and used as a sales promotion activity.

Packing Available: - One Piece.

6. Product Guide. (X-06-a)

It contains the detail information of all Jopasu car care products.

Packing Available: - One Piece.

7. S-27 Manual. (X-07-a)

It is the handbook for professional used car restoration in which twenty seven steps are given to understand the details of complete car restoration.

Packing Available: - One Piece.

8. Jopasu Kit Bag. (X-08-a)

This bag is used for keeping all the material safely at one place.

Packing Available: - One Piece.

9. Jopasu Apron. (X-09-a)

It is used to maintain a dress code uniformity of all technician of the company and gives a good look.

Packing Available: - One Piece.

10. Jopasu Cap. (X-10-a)

It is used a sales promotion activity.

Packing Available: - One Piece.

Others

1. Jopasu Gift Pack. (U-01-a)

This gift pack contains a pack of Jopasu Car Duster, Jopasu Mini Duster, Jopasu Magic Wipe, Jopasu Magic Glove and Wash N' Wax. This is a gift cum sales promotion pack.

Packing Available: Pack

2. Ultracoat Kit (4 Wheelers). (U-02-a)

This kit contains following items:

- ◆ Car Shampoo
- ◆ De-Oxidizer (Step 1)
- ◆ Super Glaze (Step 2)
- ◆ Ultracoat (Step 3)
- ◆ Vinyl Protectant (Step 4)
- ◆ Rubber Protectant (Step 5).
- ◆ Sponge.

How to use:

1. Wash the car with Car shampoo (which is ultra concentrated car shampoo),
2. With **Orbital Buffing Machine (M-01-a)**, apply De-Oxidizer (Step 1) and after sometime, buff it to clean. (For details see De-Oxidizer page:).
3. With **Orbital Buffing Machine**, apply Super Glaze (Step 2) and after sometime, buff it to clean. (For details see Super Glaze page:)
4. With **Orbital Buffing Machine**, apply Ultracoat (Step 3) and after sometime, buff it to clean. (For details see Ultracoat page:)
5. Use Vinyl Protectant with sponge to give gloss effect to the vinyl parts.
6. Use Rubber Protectant with sponge to give a good shine to all rubber parts.

Products Required: Orbital Buffing machine (M-01-a), Magic Pad and Jopasu Sprayer.

Estimated Number of Cars: 5 – 6 / Kit

(Depending on the skill and usage of the material.)

Packing Available: - 200ml X 6 bottles.

3. Ultracoat Kit (2 Wheelers). (U-03-a)

This kit contains the following items:

- ◆ De-Oxidizer (Step 1)
- ◆ Super Glaze (Step 2)
- ◆ Ultracoat (Step 3)
- ◆ Rubber Protectant.
- ◆ Sponge.

How to use:

1. First Clean, the vehicle with water, preferably with shampoo.
2. With De-Oxidizer buff on the surface with orbital buffing machine. (See page:)
3. With Super Glaze Follow step 2.
4. With Ultracoat Follow Step 2.
5. Apply Rubber Protectant with sponge to the rubber parts.

Products Required: Orbital Buffing machine (M-02-a), Magic Pad and Jopasu Sprayer.

Estimated Number of Cars: 28 – 30 / Kit

(Depending on the skill and usage of the material.)

Packing Available: - 200ml X 4 Bottles

4. Interior Cleaning Kit. (U-04-a)

This kit contains the following items:

- ◆ Fabric Shampoo.
- ◆ General Purpose Cleaner (G.P.C.)
- ◆ Door Jamb Polish.
- ◆ Vinyl Protectant.
- ◆ Sponge.

How to use:

1. First clean the fabric parts with shampoo. (See page no:)
2. Apply G.P.C. to all the rubber and vinyl parts. (See page no:)
3. With Door Jamb Polish clean and beautify door Jambs. (See page no:)
4. Apply Vinyl Protectant with help of sponge to all the rubber and vinyl parts. (See page no:)

Estimated Number of Cars: 5 – 6 / Kit

(Depending on the skill and usage of the material.)

Packing Available: - 1000ml x 6 Bottles.

5. Polyplus Restoration Kit. (U-05-a)

This kit contains the following items:

- ◆ **Car Shampoo. (Ultra Concentrated Car Shampoo).**
- ◆ **Super Compound.**
- ◆ **One Step Polish.**
- ◆ **Premium Paste Wax.**
- ◆ **Rubber Protectant.**

How to use:

1. **With Car Shampoo wash the vehicle so that it is clean and best for next steps.**
2. **Apply super compound to remove scratches and make surface better for application of One Step Polish.**
3. **Then apply and buff with One Step Polish.**
4. **For excellent shine and gloss and long lasting effect apply and buff with Premium Paste Wax.**
5. **Finally use Rubber Protectant to clean and beautify exterior rubber and vinyl parts.**

Products Required: Orbital Buffing Machine, Magic Pad and Jopasu Sprayer

Estimated Number of Cars: 7 – 8 / Kit

Packing Available: - 1000ml x 6 Bottles

Packing List of Chemicals

Sr. no.	Products	Code	Packing				
			100 ml	200ml	1 Ltr.	4 Ltr.	5 Ltr.
	Shampoo. & Cleaners						
1.	Economic Car Shampoo	S-01-a	--	--	1 Ltr.	--	5 Ltr.
2.	Super Concentrated Car Shampoo.	S-02-a	--	--	1 Ltr.	--	5 Ltr.
3.	Automatic Car Shampoo.	S-03-a	--	--	1 Ltr.	--	5 Ltr.
4.	Bio Car Shampoo.	S-04-a	--	200 ml	1 Ltr.	--	--
5.	Wash N' Wax Shampoo	S-05-a	100 ml	200 ml	1 Ltr.	--	--
6.	Wash N' Shine Shampoo	S-06-a	--	--	--	--	--
7.	General Purpose Cleaner	S-07-a	--	--	1 Ltr.	--	5 Ltr.
8.	Engine Cleaner	S-08-a	--	--	1 Ltr.	--	5 Ltr.
9.	Fabric Shampoo.	S-09-a	--	--	1 Ltr.	--	5 Ltr.
10.	Tar Remover.	S-10-a	--	--	1 Ltr.	--	5 Ltr.
11.	Glass Cleaner	S-11-a	100 ml	200 ml	1 Ltr.	--	5 Ltr.
	Compounds						
12.	Clay Bar.	C-01-a	118 gm	--	--	--	--
13.	Perfect Compound.	C-02-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
14.	Super Compound.	C-03-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
15.	Machine Compound.	C-04-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
16.	De-Oxidiser (Step1)	C-05-a	--	200 ml	1 Ltr.	4 Ltr.	--
	Polishes & Glazes						
17.	One Step Polish Wax.	G-01-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
18.	Premium Paste Wax.	G-02-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
19.	Super Glaze (Step 2)	G-03-a	--	200 ml	1 Ltr.	4 Ltr.	--
20.	N.S. Glaze.	G-04-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
21.	Dash Board Dressing.	G-05-a	100 ml	200 ml	1 Ltr.	--	5 Ltr.
22.	Trim N' Tire Dressing.	G-06-a	100 ml	200 ml	1 Ltr.	4 Ltr.	--
23.	Engine Dressing.	G-07-a	--	--	1 Ltr.	--	5 Ltr.
24.	Car Dry N' Shine.		--	200 ml	1 Ltr.	--	--
	Speciality Products						
25.	Ultracoat (Step 3)	P-01-b	--	200 ml	1 Ltr.	4 Ltr.	--
26.	Vinyl Protectant.	P-02-a	--	200 ml	1 Ltr.	--	5 Ltr.
27.	Trim N' Tire Protectant.	P-03-a	--	200 ml	1 Ltr.	4 Ltr.	--
28.	Bumper Renewer (Black)	P-04-a	--	200 ml	1 Ltr.	--	--
29.	Jopasu Underbody Coating (Black)	P-05-a	--	--	1 Ltr.	--	--
30.	Jopasu Cavity Wax (Anit Rust)	P-06-a	--	--	1 Ltr.	--	--
31.	Engine Clear Coat.	P-07-a	--	--	1 Ltr.	--	--

Sr. no.	Packing	Box Packing	Cartoon Packing	Cartoon Packing
		Bottles / Box	Bottles / Cartoon	Box / Cartoon
1.	100 ml Pet Bottles	10	120	12
2.	200 ml Pet Bottles	6	48	6
3.	1 Ltr HDPE Bottle	--	12	--
4.	4 Ltr HDPE Fluorinated Can	--	4	--